Day: Thursday Date: 10/9/2003 Time: 08:48:43

## **Application Number Information**

Application Number: 09/335409 Order This

Examiner Number: 73397 / NASHED, NASHAAT

File Assignments

Filing Date: 06/17/1999

Group Art Unit: 1652

Effective Date: 06/17/1999

Class/Subclass: 435/183.000

Application Received: 06/17/1999

Lost Case: NO

Patent Number: 6121029

Interference Number:

Issue Date: 09/19/2000

Unmatched Petition: NO

Date of Abandonment: 00/00/0000

L&R Code: Secrecy Code:1

Attorney Docket Number: 4-30582A

Third Level Review: NO

Secrecy Order: NO

Status: 150 /PATENTED CASE

Status Date: 09/01/2000


Confirmation Number: 6445

Oral Hearing: NO

Title of Invention: GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

Bar Code	PALM Location	Location Date	Charge to Loc	Charge to Name	Employee Name	Location		
09335409	<u>9200</u>	08/16/2001	No Charge to Location	No Charge to Name	LOE CONV DR1995U			
Appln Contents Petition Info Atty/Agent Info Continuity Data Foreign Data Invent Info								
Search	Search Another: Application# or Patent# Search							
	PCT A	//	Search	or PG PUBS	#	Search		
Attorney Docket # Search								
Bar Code # Search								

To go back use Back button on your browser toolbar.



L3: Entry 28 of 38

File: USPT

Sep 19, 2000

US-PAT-NO: 6121029

DOCUMENT-IDENTIFIER: US 6121029 A

TITLE: Genes for the biosynthesis of epothilones

DATE-ISSUED: September 19, 2000

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Schupp; Thomas	Mohlin				CH
Ligon; James Madison	Apex	NC			
Molnar; Istvan	Durham	NC			
Zirkle; Ross	Raleigh	NC			
Cyr; Devon Dawn	Fuquay-Varina	NC			
Gorlach; Jorn	Durham	NC			

#### CLAIMS:

- 1. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes at least one polypeptide required for the biosynthesis of epothilone, wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID
- NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, and nucleotides 43163-43378 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 2. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 1.
- 3. A recombinant vector comprising a chimeric gene according to claim 2.
- 4. A recombinant host cell comprising a chimeric gene according to claim 2.
- 5. The recombinant host cell of claim 4, which is a bacteria.

- 6. The recombinant host cell of claim 5, which is an Actinomycete.
- 7. The recombinant host cell of claim 6, which is Streptomyces.
- 8. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, and nucleotides 37052-38320 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 9. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 8.
- 10. A recombinant vector comprising a chimeric gene according to claim 9.
- 11. A recombinant host cell comprising a chimeric gene according to claim 9.
- 12. The recombinant host cell of claim 11, which is a bacteria.
- 13. The recombinant host cell of claim 12, which is an Actinomycete.
- 14. The recombinant host cell of claim 13, which is Streptomyces.
- 15. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, and nucleotides 38636-39598 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 16. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 15.
- 17. A recombinant vector comprising a chimeric gene according to claim 16.
- 18. A recombinant host cell comprising a chimeric gene according to claim 17.
- 19. The recombinant host cell of claim 18, which is a bacteria.
- 20. The recombinant host cell of claim 19, which is an Actinomycete.
- 21. The recombinant host cell of claim 20, which is Streptomyces.
- 22. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an enoyl reductase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of; nucleotides 35042-35902 of SEQ ID NO:1 and nucleotides 41369-42256 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 23. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 22.
- 24. A recombinant vector comprising a chimeric gene according to claim 23.

- 25. A recombinant host cell comprising a chimeric gene according to claim 23.
- 26. The recombinant host cell of claim 25, which is a bacteria.
- 27. The recombinant host cell of claim 26, which is an Actinomycete.
- 28. The recombinant host cell of claim 27, which is Streptomyces.
- 29. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, and nucleotides 43163-43378 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 30. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 29.
- 31. A recombinant vector comprising a chimeric gene according to claim 30.
- 32. A recombinant host cell comprising a chimeric gene according to claim 30.
- 33. The recombinant host cell of claim 32, which is a bacteria.
- 34. The recombinant host cell of claim 33, which is an Actinomycete.
- 35. The recombinant host cell of claim 34, which is Streptomyces.
- 36. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 33401-33889 of SEQ ID NO:1 and nucleotides 39635-40141 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 37. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 36.
- 38. A recombinant vector comprising a chimeric gene according to claim 37.
- 39. A recombinant host cell comprising a chimeric gene according to claim 37.
- 40. The recombinant host cell of claim 39, which is a bacteria.
- 41. The recombinant host cell of claim 40, which is an Actinomycete.
- 42. The recombinant host cell of claim 41, which is Streptomyces.
- 43. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, and nucleotides 42314-43048 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 44. A chimeric gene comprising a heterologous promoter sequence operatively

- linked to a nucleic acid fragment according to claim 43.
- 45. A recombinant vector comprising a chimeric gene according to claim 44.
- 46. A recombinant host cell comprising a chimeric gene according to claim 44.
- 47. The recombinant host cell of claim 46, which is a bacteria.
- 48. The recombinant host cell of claim 47, which is an Actinomycete.
- 49. The recombinant host cell of claim 48, which is Streptomyces.
- 50. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:5, amino acids 39-457 of SEQ ID NO:5, amino acids 563-884 of SEQ ID NO:5, amino acids 1147-1399 of SEQ ID NO:5, amino acids 1434-1506 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, amino acids 3886-4048 of SEQ ID NO:5, amino acid 4433-4719 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, and amino acids 7140-7211 of SEQ ID NO:5.
- 51. A nucleic acid fragment according to claim 50, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1 nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30159 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, and nucleotides 43163-43378 of SEQ ID NO:1.
- 52. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising an amino acid sequence selected from the group consisting of: amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, and amino acids 5103-5525 of SEQ ID NO:5.
- 53. An isolated nucleic acid fragment according to claim 52, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, and nucleotides 37052-38320 of SEQ ID NO:1.
- 54. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises an acyltransferase domain comprising an amino acid sequence selected from the group consisting of: amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, and amino acids 5631-591 l of SEQ ID NO:5.
- 55. An isolated nucleic acid fragment according to claim 54, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, and nucleotides 38636-39598 of SEQ ID NO:1.
- 56. An isolated nucleic acid fragment according to claim 50, wherein said

polypeptide comprises an enoyl reductase domain comprising an amino acid sequence selected from the group consisting of: amino acids 4433-4719 of SEQ ID NO:5 and amino acids 6542-6837 of SEQ ID NO:5.

- 57. An isolated nucleic acid fragment according to claim 56, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 35042-35902 of SEQ ID NO:1 and nucleotides 41369-42256 of SEQ ID NO:1.
- 58. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises an acyl carrier protein domain comprising an amino acid sequence selected from the group consisting of: amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, and amino acids 7140-7211 of SEQ ID NO:5.
- 59. An isolated nucleic acid fragment according to claim 58, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 26045-26263 of SEQ ID NO:1 nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, and nucleotides 43163-43378 of SEQ ID NO:1.
- 60. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a dehydratase domain comprising an amino acid sequence selected from the group consisting of: amino acids 3886-4048 of SEQ ID NO:5 and amino acids 5964-6132 of SEQ ID NO:5.
- 61. An isolated nucleic acid fragment according to claim 60, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 33401-33889 of SEQ ID NO:1 and nucleotides 39635-40141 of SEQ ID NO:1.
- 62. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising an amino acid sequence selected from the group consisting of: amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, and amino acids 6857-7101 of SEQ ID NO:5.
- 63. An isolated nucleic acid fragment according to claim 62, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, and nucleotides 42314-43048 of SEQ

ID NO:1.

- 64. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 50.
- 65. A recombinant vector comprising a chimeric gene according to claim 64.
- 66. A recombinant host cell comprising a chimeric gene according to claim 64.
- 67. The recombinant host cell of claim 66, which is a bacteria.
- 68. The recombinant host cell of claim 67, which is an Actinomycete.
- 69. The recombinant host cell of claim 68, which is Streptomyces.
- 70. An isolated polypeptide required for the biosynthesis of <a href="epothilone">epothilone</a>, wherein said polypeptide comprises an amino acid sequence encoded by a nucleotide sequence whose complement hybridizes to a sequence selected from the group consisting of: nucleotides 21746-43519 of SEQ ID NO:1, nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides

- 30815-32092 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, nucleotides 33401-33889 of SEQ ID NO:1, nucleotides 35042-35902 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, nucleotides 37052-38320 of SEQ ID NO:1, nucleotides 38636-39598 of SEQ ID NO:1, nucleotides 39635-40141 of SEQ ID NO:1, nucleotides 41369-42256 of SEQ ID NO:1, nucleotides 42314-43048 of SEQ ID NO:1, and nucleotides 43163-43378 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 71. A recombinant host cell comprising the polypeptide according to claim 70.
- 72. The recombinant host cell of claim 71, which is a bacteria.
- 73. The recombinant host cell of claim 72, which is an Actinomycete.
- 74. The recombinant host cell of claim 73, which is Streptomyces.
- 75. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 21860-23116 of SEQ ID NO:1, nucleotides 26318-27595 of SEQ ID NO:1, nucleotides 30815-32092 of SEQ ID NO:1, and nucleotides 37052-38320 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 76. A recombinant host cell comprising the polypeptide according to claim 75.
- 77. The recombinant host cell of claim 76, which is a bacteria.
- 78. The recombinant host cell of claim 77, which is an Actinomycete.
- 79. The recombinant host cell of claim 78, which is Streptomyces.
- 80. An isolated polypeptide according to claim 70, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 23431-24397 of SEQ ID NO:1, nucleotides 27911-28876 of SEQ ID NO:1, nucleotides 32408-33373 of SEQ ID NO:1, and nucleotides 38636-39598 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 81. A recombinant host cell comprising the polypeptide according to claim 80.
- 82. The recombinant host cell of claim 81, which is a bacteria.
- 83. The recombinant host cell of claim 82, which is an Actinomycete.
- 84. The recombinant host cell of claim 83, which is Streptomyces.
- 85. An isolated polypeptide according to claim 70, wherein said polypeptide comprises an enoyl reductase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 35042-35902 of SEQ ID NO:1 and nucleotides 41369-42256 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 86. A recombinant host cell comprising the polypeptide according to claim 85.

- 87. The recombinant host cell of claim 86, which is a bacteria.
- 88. The recombinant host cell of claim 87, which is an Actinomycete.
- 89. The recombinant host cell of claim 88, which is Streptomyces.
- 90. An isolated polypeptide according to claim 70, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 26045-26263 of SEQ ID NO:1, nucleotides 30539-30759 of SEQ ID NO:1, nucleotides 36773-36991 of SEQ ID NO:1, and nucleotides 43163-43378 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 91. A recombinant host cell comprising the polypeptide according to claim 90.
- 92. The recombinant host cell of claim 91, which is a bacteria.
- 93. The recombinant host cell of claim 92, which is an Actinomycete.
- 94. The recombinant host cell of claim 93, which is Streptomyces.
- 95. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 33401-33889 of SEQ ID NO:1 and nucleotides 39635-40141 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 96. A recombinant host cell comprising the polypeptide according to claim 95.
- 97. The recombinant host cell of claim 96, which is a bacteria.
- 98. The recombinant host cell of claim 97, which is an Actinomycete.
- 99. The recombinant host cell of claim 98, which is Streptomyces.
- 100. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 25184-25942 of SEQ ID NO:1, nucleotides 29678-30429 of SEQ ID NO:1, nucleotides 35930-36667 of SEQ ID NO:1, and nucleotides 42314-43048 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 101. A recombinant host cell comprising the polypeptide according to claim 100.
- 102. The recombinant host cell of claim 101, which is a bacteria.
- 103. The recombinant host cell of claim 102, which is an Actinomycete.
- 104. The recombinant host cell of claim 103, which is Streptomyces.
- 105. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:5, amino acids 39-457 of SEQ ID NO:5, amino acids 563-894 of SEQ ID NO:5, amino acids 1147-1399 of SEQ ID NO:5, amino acids 14314-1506 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 2056-2377 or SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, amino acids

- 3555-3876 of SEQ ID NO:5, amino acids 3886-4048 of SEQ ID NO:5, amino acids 4433-4719 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, amino acids 5103-5525 of SEQ ID NO:5, amino acids 5631-5951 of SEQ ID NO:5, amino acids 5964-6132 of SEQ ID NO:5, amino acids 6542-6837 of SEQ ID NO:5, amino acids 6857-7101 of SEQ ID NO:5, and amino acids 7140-7211 of SEQ ID NO:5.
- 106. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising an amino acid sequence selected from the group consisting of: amino acids 39-457 of SEQ ID NO:5, amino acids 1524-1950 of SEQ ID NO:5, amino acids 3024-3449 of SEQ ID NO:5, and amino acids 5103-5525 of SEQ ID NO:5.
- 107. An isolated polypeptide according to claim 105, wherein said polypeptide comprises an acyltransferase domain comprising all amino acid sequence selected from the group consisting of: amino acids 563-884 of SEQ ID NO:5, amino acids 2056-2377 of SEQ ID NO:5, amino acids 3555-3876 of SEQ ID NO:5, and amino acids 5631-5951 of SEQ ID NO:5.
- 108. An isolated polypeptide according to claim 105, wherein said polypeptide comprises an enoyl reductase domain comprising an amino acid sequence selected from the group consisting of: amino acids 4433-4719 of SEQ ID NO:5 and amino acids 6542-6837 of SEQ ID NO:5.
- 109. An isolated polypeptide according to claim 105, wherein said polypeptide comprises an acyl carrier protein domain comprising an amino acid sequence selected from the group consisting of amino acids 1434-1506 of SEQ ID NO:5, amino acids 2932-3005 of SEQ ID NO:5, amino acids 5010-5082 of SEQ ID NO:5, and amino acids 7140-7211 of SEQ ID NO:5.
- 110. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a dehydratase domain comprising an amino acid sequence selected from the group consisting of: amino acids 3886-4048 of SEQ ID NO:5 and amino acids 5964-6132 of SEQ ID NO:5.
- 111. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising an amino acid sequence selected from the group consisting of: amino acids 1147-1399 of SEQ ID NO:5, amino acids 2645-2895 of SEQ ID NO:5, amino acids 4729-4974 of SEQ ID NO:5, and amino acids 6857-7101 of SEQ ID NO:5.
- 112. A recombinant host cell comprising the polypeptide according to claim 105.
- 113. The recombinant host cell of claim 112, which is a bacteria.
- 114. The recombinant host cell of claim 113, which is an Actinomycete.
- 115. The recombinant host cell of claim 114, which is Streptomyces.



Day: Thursday Date: 10/9/2003 Time: 08:49:55

### **Application Number Information**

Application Number: 09/568102 Order This

File Assignments

Examiner Number: 73397 / NASHED, NASHAAT

Filing Date: 05/10/2000

0/2000 Group Art Unit: 1652

Effective Date: 05/10/2000

Class/Subclass: 435/183.000

Application Received: 05/11/2000

Lost Case: NO

Patent Number: <u>6346404</u>

Interference Number:

Issue Date: 02/12/2002

Unmatched Petition: NO

Date of Abandonment: 00/00/0000

L&R Code: Secrecy Code:1

Attorney Docket Number: 4-30582B

Third Level Review: **NO** 

Secrecy Order: NO

Status: 150 /PATENTED CASE

Status Date: 01/25/2002

Confirmation Number: 8431

Oral Hearing: NO

Title of Invention: GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

Bar Code	PALM Location	Location Date	Charge to Loc	Charge to Name	Employee Name	Location			
09568102	<u>9200</u>	07/18/2002	No Charge to Location	No Charge to Name	BAIG,ARIF				
Appln Contents Petition Info Atty/Agent Info Continuity Data Foreign Data Invent Info									
Search	Search Another: Application# or Patent# Search								
	PCT /	//	Search 0	r PG PUBS #	£	Search			
Attorney Docket # Search									
Bar Code # Search									

To go back use Back button on your browser toolbar.

sucusuusuusuusuusuusuusuusuusuusuusuusuu	WEST	
	Generate Collection	Print ***

L3: Entry 19 of 38 File: USPT Feb 12, 2002

US-PAT-NO: 6346404

DOCUMENT-IDENTIFIER: US 6346404 B1

\*\* See image for Certificate of Correction \*\*

TITLE: Genes for the biosynthesis of epothilones

DATE-ISSUED: February 12, 2002

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Schupp; Thomas	Mohlin				CH
Ligon; James Madison	Apex	NC			
Molnar; Istvan	Durham	NC			
Zirkle; Ross	Raleigh	NC			
Cyr; Devon Dawn	Fuquay-Varina	NC			
Gorlach; Jorn	Durham	NC			

US-CL-CURRENT: 435/183; 435/189, 435/193, 435/232, 435/252.3, 435/252.35, 435/320.1, 530/350, 536/23.1, 536/23.2, 536/23.7

#### CLAIMS:

- 1. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes at least one polypeptide required for the biosynthesis of epothilone, wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, and nucleotides 11549-11764 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 2. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 1.
- 3. A recombinant vector comprising a chimeric gene according to claim 2.
- 4. A recombinant host cell comprising a chimeric gene according to claim 2.
- 5. The recombinant host cell of claim 4, which is a bacteria.
- 6. The recombinant host cell of claim 5, which is an Actinomycete.
- 7. The recombinant host cell of claim 6, which is Streptomyces.
- 8. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 7643-8920 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and

- washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 9. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 8.
- 10. A recombinant vector comprising a chimeric gene according to claim 9.
- 11. A recombinant host cell comprising a chimeric gene according to claim 9.
- 12. The recombinant host cell of claim 11, which is a bacteria.
- 13. The recombinant host cell of claim 12, which is an Actinomycete.
- 14. The recombinant host cell of claim 13, which is Streptomyces.
- 15. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 9236-10201 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 16. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 15.
- 17. A recombinant vector comprising a chimeric gene according to claim 16.
- 18. A recombinant host cell comprising a chimeric gene according to claim 16.
- 19. The recombinant host cell of claim 18, which is a bacteria.
- 20. The recombinant host cell of claim 19, which is an Actinomycete.
- 21. The recombinant host cell of claim 20, which is Streptomyces.
- 22. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an enoyl reductase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 10529-11428 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 23. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 22.
- 24. A recombinant vector comprising a chimeric gene according to claim 23.
- 25. A recombinant host cell comprising a chimeric gene according to claim 23.
- 26. The recombinant host cell of claim 25, which is a bacteria.
- 27. The recombinant host cell of claim 26, which is an Actinomycete.
- 28. The recombinant host cell of claim 27, which is Streptomyces.
- 29. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 11549-11764 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20

minutes at 65.degree. C.

- 30. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 29.
- 31. A recombinant vector comprising a chimeric gene according to claim 30.
- 32. A recombinant host cell comprising a chimeric gene according to claim 30.
- 33. The recombinant host cell of claim 32, which is a bacteria.
- 34. The recombinant host cell of claim 33, which is an Actinomycete.
- 35. The recombinant host cell of claim 34, which is Streptomyces.
- 36. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:2, amino acids 11-437 of SEQ ID NO:2, amino acids 543-864 of SEQ ID NO:2, amino acids 974-1273 of SEQ ID NO:2, and amino acids 1314-1385 of SEO ID NO:2.
- 37. An isolated nucleic acid fragment according to claim 36, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, and nucleotides 11549-11764 of SEQ ID NO:1.
- 38. An isolated nucleic acid fragment according to claim 36, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising amino acids 11-437 of SEQ ID NO:2.
- 39. An isolated nucleic acid fragment according to claim 38, wherein said nucleotide sequence is nucleotides 7643-8920 of SEQ ID NO:1.
- 40. An isolated nucleic acid fragment according to claim 36, wherein said polypeptide comprises an acyltransferase domain comprising amino acids 543-864 of SEQ ID NO:2.
- 41. An isolated nucleic acid fragment according to claim 40, wherein said nucleotide sequence is nucleotides 9236-10201 of SEQ ID NO:1.
- 42. An isolated nucleic acid fragment according to claim 36, wherein said polypeptide comprises an enoyl reductase domain comprising amino acids 974-1273 of SEQ ID NO:2.
- 43. An isolated nucleic acid fragment according to claim 42, wherein said nucleotide sequence is nucleotides 10529-11428 of SEQ ID NO:1.
- 44. An isolated nucleic acid fragment according to claim 36, wherein said polypeptide comprises an acyl carrier protein domain comprising amino acids 1314-1385 of SEQ ID NO:2.
- 45. An isolated nucleic acid fragment according to claim 44, wherein said nucleotide sequence is nucleotides 11549-11764 of SEQ ID NO:1.
- 46. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 36.
- 47. A recombinant vector comprising a chimeric gene according to claim 46.
- 48. A recombinant host cell comprising a chimeric gene according to claim 46.

- 49. The recombinant host cell of claim 48, which is a bacteria.
- 50. The recombinant host cell of claim 49, which is an Actinomycete.
- 51. The recombinant host cell of claim 50, which is Streptomyces.
- 52. An isolated polypeptide required for the biosynthesis of <a href="epothilone">epothilone</a>, wherein said polypeptide comprises an amino acid sequence encoded by a nucleotide sequence whose complement hybridizes to a sequence selected from the group consisting of: nucleotides 7610-11875 of SEQ ID NO:1, nucleotides 7643-8920 of SEQ ID NO:1, nucleotides 9236-10201 of SEQ ID NO:1, nucleotides 10529-11428 of SEQ ID NO:1, and nucleotides 11549-11764 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 53. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 52.
- 54. The recombinant host cell of claim 53, which is a bacteria.
- 55. The recombinant host cell of claim 53, which is an Actinomycete.
- 56. The recombinant host cell of claim 53, which is Streptomyces.
- 57. An isolated polypeptide according to claim 52, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 7643-8920 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 58. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 57.
- 59. The recombinant host cell of claim 58, which is a bacteria.
- 60. The recombinant host cell of claim 59, which is an Actinomycete.
- 61. The recombinant host cell of claim 60, which is Streptomyces.
- 62. An isolated polypeptide according to claim 52, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 9236-10201 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree.
- 63. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 62.
- 64. The recombinant host cell of claim 63, which is a bacteria.
- 65. The recombinant host cell of claim 64, which is an Actinomycete.
- 66. The recombinant host cell of claim 65, which is Streptomyces.
- 67. An isolated polypeptide according to claim 52, wherein said polypeptide comprises an enoyl reductase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 10529-11428 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree.

C.

- 68. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 67.
- 69. The recombinant host cell of claim 68, which is a bacteria.
- 70. The recombinant host cell of claim 69, which is an Actinomycete.
- 71. The recombinant host cell of claim 70, which is Streptomyces.
- 72. An isolated polypeptide according to claim 52, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 11549-11764 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree.
- 73. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 72.
- 74. The recombinant host cell of claim 73, which is a bacteria.
- 75. The recombinant host cell of claim 74, which is an Actinomycete.
- 76. The recombinant host cell of claim 75, which is Streptomyces.
- 77. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:2, amino acids 11-437 of SEQ ID NO:2, amino acids 543-864 of SEQ ID NO:2, amino acids 974-1273 of SEQ ID NO:2, and amino acids 1314-1385 of SEQ ID NO:2.
- 78. An isolated polypeptide according to claim 77, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising amino acids 11-437 of SEQ ID NO:2.
- 79. An isolated polypeptide according to claim 77, wherein said polypeptide comprises an acyltransferase domain comprising amino acids 543-864 of SEQ ID NO:2.
- 80. An isolated polypeptide according to claim 77, wherein said polypeptide comprises an enoyl reductase domain comprising amino acids 974-1273 of SEQ ID NO:2.
- 81. An isolated polypeptide according to claim 77, wherein said polypeptide comprises an acyl carrier protein domain comprising amino acids 1314-1385 of SEQ ID NO:2.
- 82. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 77.
- 83. The recombinant host cell of claim 82, which is a bacteria.
- 84. The recombinant host cell of claim 83, which is an Actinomycete.
- 85. The recombinant host cell of claim 84, which is Streptomyces.



Day: Thursday Date: 10/9/2003 Time: 08:49:46

## **Application Number Information**

Application Number: 09/567969 Order This

Examiner Number: 73397 / NASHED, NASHAAT

File Assignments

Filing Date: 05/10/2000

Group Art Unit: 1652

Effective Date: 05/10/2000

Class/Subclass: 435/183.000

Application Received: 05/11/2000

Lost Case: NO

Patent Number: 6355457

Interference Number:

Issue Date: 03/12/2002

Unmatched Petition: NO

Date of Abandonment: 00/00/0000

Attorney Docket Number: 4-30582F

L&R Code: Secrecy Code:1 Third Level Review: NO

Secrecy Order: NO

Status: 150 /PATENTED CASE

Status Date: 02/21/2002


Confirmation Number: 8324

Oral Hearing: NO

Title of Invention: GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

Bar Code	PALM Location	Location Date	Loc	Charge to Name	Employee Name		Location		
09567969	<u>9200</u>	03/08/2002	No Charge to Location	No Charge to Name	WILLIAMS	,NATASHA			
Appln Contents Petition Info Atty/Agent Info Continuity Data Foreign Data Invent									
Search	Search Another: Application# or Patent# Search								
	PCT / Search or PG PUBS # Search								
Attorney Docket # Search									
	Bar	Code #	***************************************	Search					

To go back use Back button on your browser toolbar.



L3: Entry 18 of 38 File: USPT Mar 12, 2002

US-PAT-NO: 6355457

DOCUMENT-IDENTIFIER: US 6355457 B1

TITLE: Genes for the biosynthesis of epothilones

DATE-ISSUED: March 12, 2002

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Schupp; Thomas	Mohlin				CH
Ligon; James Madison	Apex	NC			
Molnar; Istvan	Durham	NC			
Zirkle; Ross	Raleigh	NC			
Cyr; Devon Dawn	Fuquay-Varina	NC			
Gorlach; Jorn	Durham	NC			

#### CLAIMS:

- 1. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes at least one polypeptide required for the biosynthesis of epothilone, wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, and nucleotides 61427-62254 of SEQ ID NO:1, under conditions of hybridization at 6.15.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 2. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 1.
- 3. A recombinant vector comprising a chimeric gene according to claim 2.
- 4. A recombinant host cell comprising a chimeric gene according to claim 2.
- 5. The recombinant host cell of claim 4, which is a bacteria.
- 6. The recombinant host cell of claim 5, which is an Actinomycete.
- 7. The recombinant host cell of claim 6, which is Streptomyces.
- 8. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 55028-56284 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and

- washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 9. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 8.
- 10. A recombinant vector comprising a chimeric gene according to claim 9.
- 11. A recombinant host cell comprising a chimeric gene according to claim 9.
- 12. The recombinant host cell of claim 11, which is a bacteria.
- 13. The recombinant host cell of claim 12, which is an Actinomycete.
- 14. The recombinant host cell of claim 13, which is Streptomyces.
- 15. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 56600-57565 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 16. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 15.
- 17. A recombinant vector comprising a chimeric gene according to claim 16.
- 18. A recombinant host cell comprising a chimeric gene according to claim 16.
- 19. The recombinant host cell of claim 18, which is a bacteria.
- 20. The recombinant host cell of claim 19, which is an Actinomycete.
- 21. The recombinant host cell of claim 20, which is Streptomyces.
- 22. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 57593-58087 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 23. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 22.
- 24. A recombinant vector comprising a chimeric gene according to claim 23.
- 25. A recombinant host cell comprising a chimeric gene according to claim 23.
- 26. The recombinant host cell of claim 25, which is a bacteria.
- 27. The recombinant host cell of claim 26, which is an Actinomycete.
- 28. The recombinant host cell of claim 27, which is Streptomyces.
- 29. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 60362-61099 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20

minutes at 65.degree. C.

- 30. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 29.
- 31. A recombinant vector comprising a chimeric gene according to claim 30.
- 32. A recombinant host cell comprising a chimeric gene according to claim 30.
- 33. The recombinant host cell of claim 32, which is a bacteria.
- 34. The recombinant host cell of claim 33, which is an Actinomycete.
- 35. The recombinant host cell of claim 34, which is Streptomyces.
- 36. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 61211-61426 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 37. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 36.
- 38. A recombinant vector comprising a chimeric gene according to claim 37.
- 39. A recombinant host cell comprising a chimeric gene according to claim 37.
- 40. The recombinant host cell of claim 39, which is a bacteria.
- 41. The recombinant host cell of claim 40, which is an Actinomycete.
- 42. The recombinant host cell of claim 41, which is Streptomyces.
- 43. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a thioesterase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 61427-62254 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 44. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 43.
- 45. A recombinant vector comprising a chimeric gene according to claim 44.
- 46. A recombinant host cell comprising a chimeric gene according to claim 44.
- 47. The recombinant host cell of claim 46, which is a bacteria.
- 48. The recombinant host cell of claim 47, which is an Actinomycete.
- 49. The recombinant host cell of claim 48, which is Streptomnyces.
- 50. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:7, amino acids 32-450 of SEQ ID NO:7, amino acids 556-877 of SEQ ID NO:7, amino acids 887-1051 of SEQ ID NO:7, amino acids 1810-2055 of SEC ID NO:7, amino acids 2093-2164 of SEQ ID NO:7, and amino acids 2165-2439 of SEQ ID NO:7.

- 51. An isolated nucleic acid fragment according to claim 50, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1 and nucleotides 61427-62254 of SEQ ID NO:1.
- 52. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising amino acids 32-450 of SEQ ID NO:7.
- 53. An isolated nucleic acid fragment according to claim 52, wherein said nucleotide sequence is nucleotides 55028-56284 of SEQ ID NO:1.
- 54. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises an acyltransferase domain comprising amino acids 556-877 of SEQ ID NO:7.
- 55. An isolated nucleic acid fragment according to claim 54, wherein said nucleotide sequence is nucleotides 56600-57565 of SEQ ID NO:1.
- 56. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a dehydratase domain comprising amino acids 887-1051 of SEQ ID NO:7.
- 57. An isolated nucleic acid fragment according to claim 56, wherein said nucleotide sequence is nucleotides 57593-58087 of SEQ ID NO:1.
- 58. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising amino acids 1810-2055 of SEQ ID NO:7.
- 59. An isolated nucleic acid fragment according to claim 50, wherein said nucleotide sequence is nucleotides 60362-61099 of SEQ ID NO:1.
- 60. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises an acyl carrier protein domain comprising amino acids 2093-2164 of SEQ ID NO:7.
- 61. An isolated nucleic acid fragment according to claim 60, wherein said nucleotide sequence is nucleotides 61211-61426 of SEQ ID NO:1.
- 62. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a thioesterase domain comprising amino acids 2165-2439 of SEQ ID NO:7.
- 63. An isolated nucleic acid fragment according to claim 62, wherein said nucleotide sequence is nucleotides 61427-62254 of SEQ ID NO:1.
- 64. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 50.
- 65. A recombinant vector comprising a chimeric gene according to claim 64.
- 66. A recombinant host cell comprising a chimeric gene according to claim 64.
- 67. The recombinant host cell of claim 66, which is a bacteria.
- 68. The recombinant host cell of claim 67, which is an Actinomycete.
- 69. The recombinant host cell of claim 68, which is Streptomyces.

- 70. An isolated polypeptide required for the biosynthesis of <a href="epothilone">epothilone</a>, wherein said polypeptide comprises an amino acid sequence encoded by a nucleotide sequence whose complement hybridizes to a sequence selected from the group consisting of: nucleotides 54935-62254 of SEQ ID NO:1, nucleotides 55028-56284 of SEQ ID NO:1, nucleotides 56600-57565 of SEQ ID NO:1, nucleotides 57593-58087 of SEQ ID NO:1, nucleotides 60362-61099 of SEQ ID NO:1, nucleotides 61211-61426 of SEQ ID NO:1, and nucleotides 61427-62254 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 71. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 70.
- 72. The recombinant host cell of claim 71, which is a bacteria.
- 73. The recombinant host cell of claim 72, which is an Actinomycete.
- 74. The recombinant host cell of claim 73, which is Streptomnyces.
- 75. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 55028-56284 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 76. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 75.
- 77. The recombinant host cell of claim 76, which is a bacteria.
- 78. The recombinant host cell of claim 77, which is an Actinomycete.
- 79. The recombinant host cell of claim 78, which is Streptomyces.
- 80. An isolated polypeptide according to claim 70, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 56600-57565 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 81. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 80.
- 82. The recombinant host cell of claim 81, which is a bacteria.
- 83. The recombinant host cell of claim 82, which is an Actinomycete.
- 84. The recombinant host cell of claim 83, which is Streptomyces.
- 85. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 57593-58087 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 86. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 85.

- 87. The recombinant host cell of claim 86, which is a bacteria.
- 88. The recombinant host cell of claim 87, which is an Actinomycete.
- 89. The recombinant host cell of claim 88, which is Streptomyces.
- 90. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 60362-61099 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 91. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 90.
- 92. The recombinant host cell of claim 91, which is a bacteria.
- 93. The recombinant host cell of claim 92, which is an Actinomycete.
- 94. The recombinant host cell of claim 93, which is Streptomyces.
- 95. An isolated polypeptide according to claim 70, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 61211-61426 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 96. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 95.
- 97. The recombinant host cell of claim 96, which is a bacteria.
- 98. The recombinant host cell of claim 97, which is an Actinomycete.
- 99. The recombinant host cell of claim 98, which is Streptomyces.
- 100. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a thioesterase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 61427-62254 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 101. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 99.
- 102. The recombinant host cell of claim 101, which is a bacteria.
- 103. The recombinant host cell of claim 102, which is an Actinomycete.
- 104. The recombinant host cell of claim 103, which is Streptomyces.
- 105. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:7, amino acids 32-450 of SEQ ID NO:7, amino acids 556-877 of SEQ ID NO:7, amino acids 887-1051 of SEQ ID NO:7, amino acids 1810-2055 of SEQ ID NO:7, amino acids 2093-2164 of SEQ ID NO:7, and amino acids 2165-2439 of SEQ ID NO:7.
- 106. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising amino acids 32-450 of

SEQ ID NO:7.

- 107. An isolated polypeptide according to claim 105, wherein said polypeptide comprises an acyltransferase domain comprising amino acids 556-877 of SEQ ID NO:7.
- 108. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a dehydratase domain comprising amino acids 887-1051 of SEQ ID NO:7.
- 109. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising amino acids 1810-2055 of SEQ ID NO:7.
- 110. An isolated polypeptide according to claim 105, wherein said polypeptide comprises an acyl carrier protein domain comprising amino acids 2093-2164 of SEQ ID NO:7.
- 111. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a thioesterase domain comprising amino acids 2165-2439 of SEQ ID NO:7.
- 112. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 105.
- 113. The recombinant host cell of claim 112, which is a bacteria.
- 114. The recombinant host cell of claim 113, which is an Actinomycete.
- 115. The recombinant host cell of claim 114, which is Streptomyces.



Day: Thursday Date: 10/9/2003 Time: 08:50:14

## **Application Number Information**

Application Number: 09/568480 Order This

Examiner Number: 73397 / NASHED, NASHAAT

File Assignments

Filing Date: 05/10/2000

Group Art Unit: 1652

Effective Date: 05/10/2000

Class/Subclass: 435/183.000

Application Received: 05/11/2000

Lost Case: NO

Patent Number: 6355458

**DAIM** 

Interference Number:

Issue Date: 03/12/2002

Unmatched Petition: NO

Date of Abandonment: 00/00/0000

Attorney Docket Number: 4-30582D

L&R Code: Secrecy Code:1

Secrecy Order: NO

Status: 150 /PATENTED CASE

Third Level Review: NO

Status Date: 02/21/2002

Confirmation Number: 7622

Oral Hearing: NO

Title of Invention: GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

Bar Code	Location	Location Date	Charge to Loc	Name	Employee Name	Location
09568480	<u>9200</u>	04/03/2002	No Charge to Location	No Charge to Name	BAIG,ARIF	
Appln Cor Info	ntents Peti	tion Info Att	y/Agent Info	Continuity Data	Foreign Data	Invent
Search	<b>F</b>	Application# [		or Patent#	Sea Sea	rch
	PCT	//	Search 0	r PG PUBS #	!	Search
	Attor	ney Docket #			Search	
	Bar (	Code #		Search		

To go back use Back button on your browser toolbar.

# Generate Collection Print

L3: Entry 17 of 38 File: USPT Mar 12, 2002

US-PAT-NO: 6355458

DOCUMENT-IDENTIFIER: US 6355458 B1

TITLE: Genes for the biosynthesis of epothilones

DATE-ISSUED: March 12, 2002

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Schupp; Thomas	Mohlin			CH
Ligon; James Madison	Apex	NC		
Molnar; Istvan	Durham	NC		
Zirkle; Ross	Raleigh	NC		
Cyr; Devon Dawn	Fuquay-Varina	NC		
Gorlach; Jorn	Durham	NC		

#### CLAIMS:

- 1. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes at least one polypeptide required for the biosynthesis of epothilone, wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, and nucleotides 21414-21626 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 2. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 1.
- 3. A recombinant vector comprising a chimeric gene according to claim 2.
- 4. A recombinant host cell comprising a chimeric gene according to claim 2.
- 5. The recombinant host cell of claim 4, which is a bacteria.
- 6. The recombinant host cell of claim 5, which is an Actinomycete.
- 7. The recombinant host cell of claim 6, which is Streptomyces.
- 8. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 16269-17546 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20

minutes at 65.degree. C.

- 9. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 8.
- 10. A recombinant vector comprising a chimeric gene according to claim 9.
- 11. A recombinant host cell comprising a chimeric gene according to claim 9.
- 12. The recombinant host cell of claim 11, which is a bacteria.
- 13. The recombinant host cell of claim 12, which is an Actinomycete.
- 14. The recombinant host cell of claim 13, which is Streptomyces.
- 15. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 17865-18827 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 16. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 15.
- 17. A recombinant vector comprising a chimeric gene according to claim 16.
- 18. A recombinant host cell comprising a chimeric gene according to claim 16.
- 19. The recombinant host cell of claim 18, which is a bacteria.
- 20. The recombinant host cell of claim 19, which is an Actinomycete.
- 21. The recombinant host cell of claim 20, which is Streptomyces.
- 22. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 18855-19361 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 23. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 22.
- 24. A recombinant vector comprising a chimeric gene according to claim 23.
- 25. A recombinant host cell comprising a chimeric gene according to claim 23.
- 26. The recombinant host cell of claim 25, which is a bacteria.
- 27. The recombinant host cell of claim 26, which is an Actinomycete.
- 28. The recombinant host cell of claim 28, which is Streptomyces.
- 29. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 20565-21302 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.

- 30. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 29.
- 31. A recombinant vector comprising a chimeric gene according to claim 30.
- 32. A recombinant host cell comprising a chimeric gene according to claim 30.
- 33. The recombinant host cell of claim 32, which is a bacteria.
- 34. The recombinant host cell of claim 33, which is an Actinomycete.
- 35. The recombinant host cell of claim 34, which is Streptomyces.
- 36. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 21414-21626 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 37. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 36.
- 38. A recombinant vector comprising a chimeric gene according to claim 37.
- 39. A recombinant host cell comprising a chimeric gene according to claim 37.
- 40. The recombinant host cell of claim 39, which is a bacteria.
- 41. The recombinant host cell of claim 40, which is an Actinomycete.
- 42. The recombinant host cell of claim 41, which is Streptomyces.
- 43. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:4, amino acids 7-432 of SEQ ID NO:4, amino acids 539-859 of SEQ ID NO:4, amino acids 869-1037 of SEQ ID NO:4, amino acids 1439-1684 of SEQ ID NO:4, and amino acids 1722-1792 of SEQ ID NO:4.
- 44. An isolated nucleic acid fragment according to claim 43, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, and nucleotides 21414-21626 of SEQ ID NO:1.
- 45. An isolated nucleic acid fragment according to claim 43, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising amino acids 7-432 of SEQ ID NO:4.
- 46. An isolated nucleic acid fragment according to claim 45, wherein said nucleotide sequence is nucleotides 16269-17546 of SEQ ID NO:1.
- 47. An isolated nucleic acid fragment according to claim 43, wherein said polypeptide comprises an acyltransferase domain comprising amino acids 539-859 of SEQ ID NO:4.
- 48. An isolated nucleic acid fragment according to claim 47, wherein said nucleotide sequence is nucleotides 17865-18827 of SEQ ID NO:1.
- 49. An isolated nucleic acid fragment according to claim 43, wherein said

- polypeptide comprises a dehydratase domain comprising amino acids 869-1037 of SEQ ID NO:4.
- 50. An isolated nucleic acid fragment according to claim 49, wherein said nucleotide sequence is nucleotides 18855-19361 of SEQ ID NO:1.
- 51. An isolated nucleic acid fragment according to claim 43, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising amino acids 1439-1684 of SEQ ID NO:4.
- 52. An isolated nucleic acid fragment according to claim 51, wherein said nucleotide sequence is nucleotides 20565-21302 of SEQ ID NO:1.
- 53. An isolated nucleic acid fragment according to claim 43, wherein said polypeptide comprises an acyl carrier protein domain comprising amino acids 1722-1792 of SEQ ID NO:4.
- 54. An isolated nucleic acid fragment according to claim 53, wherein said nucleotide sequence is nucleotides 21414-21626 of SEQ ID NO:1.
- 55. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 43.
- 56. A recombinant vector comprising a chimeric gene according to claim 55.
- 57. A recombinant host cell comprising a chimeric gene according to claim 55.
- 58. The recombinant host cell of claim 57, which is a bacteria.
- 59. The recombinant host cell of claim 58, which is an Actinomycete.
- 60. The recombinant host cell of claim 59, which is Streptomyces.
- 61. An isolated polypeptide required for the biosynthesis of epothilone, wherein said polypeptide comprises an amino acid sequence encoded by a nucleotide sequence whose complement hybridizes to a sequence selected from the group consisting of: nucleotides 16251-21749 of SEQ ID NO:1, nucleotides 16269-17546 of SEQ ID NO:1, nucleotides 17865-18827 of SEQ ID NO:1, nucleotides 18855-19361 of SEQ ID NO:1, nucleotides 20565-21302 of SEQ ID NO:1, and nucleotides 21414-21626 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 62. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 61.
- 63. The recombinant host cell of claim 62, which is a bacteria.
- 64. The recombinant host cell of claim 63, which is an Actinomycete.
- 65. The recombinant host cell of claim 64, which is Streptomyces.
- 66. An isolated polypeptide according to claim 61, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 16269-17546 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 67. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 66.

- 68. The recombinant host cell of claim 67, which is a bacteria.
- 69. The recombinant host cell of claim 68, which is an Actinomycete.
- 70. The recombinant host cell of claim 69, which is Streptomyces.
- 71. An isolated polypeptide according to claim 61, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 17865-18827 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 72. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 71.
- 73. The recombinant host cell of claim 72, which is a bacteria.
- 74. The recombinant host cell of claim 73, which is an Actinomycete.
- 75. The recombinant host cell of claim 74, which is Streptomyces.
- 76. An isolated polypeptide according to claim 61, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 18855-19361 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 77. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 76.
- 78. The recombinant host cell of claim 77, which is a bacteria.
- 79. The recombinant host cell of claim 78, which is an Actinomycete.
- 80. The recombinant host cell of claim 79, which is Streptomyces.
- 81. An isolated polypeptide according to claim 61, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 20565-21302 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 82. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 81.
- 83. The recombinant host cell of claim 82, which is a bacteria.
- 84. The recombinant host cell of claim 83, which is an Actinomycete.
- 85. The recombinant host cell of claim 84, which is Streptomyces.
- 86. An isolated polypeptide according to claim 61, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 21414-21626 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 87. A recombinant host cell comprising a recombinantly expressed polypeptide

according to claim 86.

- 88. The recombinant host cell of claim 87, which is a bacteria.
- 89. The recombinant host cell of claim 88, which is an Actinomycete.
- 90. The recombinant host cell of claim 89, which is Streptomyces.
- 91. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:4, amino acids 7-432 of SEQ ID NO:4, amino acids 539-859 of SEQ ID NO:4, amino acids 869-1037 of SEQ ID NO:4, amino acids 1439-1684 of SEQ ID NO:4, and amino acids 1722-1792 of SEQ ID NO:4.
- 92. An isolated polypeptide according to claim 91, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising amino acids 7-432 of SEQ ID NO:4.
- 93. An isolated polypeptide according to claim 91, wherein said polypeptide comprises an acyltransferase domain comprising amino acids 539-859 of SEQ ID NO.4
- 94. An isolated polypeptide according to claim 91, wherein said polypeptide comprises a dehydratase domain comprising amino acids 869-1037 of SEQ ID NO:4.
- 95. An isolated polypeptide according to claim 91, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising amino acids 1439-1684 of SEQ ID NO:4.
- 96. An isolated polypeptide according to claim 91, wherein said polypeptide comprises an acyl carrier protein domain comprising amino acids 1722-1792 of SEQ ID NO:4.
- 97. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 91.
- 98. The recombinant host cell of claim 97, which is a bacteria.
- 99. The recombinant host cell of claim 98, which is an Actinomycete.
- 100. The recombinant host cell of claim 99, which is Streptomyces.



Day: Thursday Date: 10/9/2003 Time: 08:50:28

## **Application Number Information**

Application Number: 09/568486 Order This

Examiner Number: 73397 / NASHED, NASHAAT

File Assignments

Filing Date: 05/10/2000

Group Art Unit: 1652

Effective Date: 05/10/2000

Class/Subclass: 435/183.000

Application Received: 05/11/2000

Lost Case: NO

Patent Number: 6355459

Issue Date: 03/12/2002

Interference Number:

Unmatched Petition: NO

Date of Abandonment: 00/00/0000

L&R Code: Secrecy Code:1

Attorney Docket Number: 4-30582E

Third Level Review: NO

Secrecy Order: NO

Status: 150 /PATENTED CASE

Status Date: 02/21/2002


Confirmation Number: 8002

Oral Hearing: NO

Title of Invention: GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

Bar Code	PALM Location	Location Date	Charge to Loc	Charge to Name	Employee Name		Location
09568486	<u>9200</u>	03/08/2002	No Charge to Location	No Charge to Name	WILLIAMS	S,NATASHA	
Appln Col	ntents Pe	etition Info	Atty/Agent Info	Contir	nuity Data	Foreign Data	Invent
Search	Another:	Application Search	n# [	10	· Patent# _	Sea	rch
	PCT	r/ <u> </u> /	Search	or PG	PUBS#		Search
	Atto	orney Docke	et #		s	earch	
	Bar	Code #		Search			

To go back use Back button on your browser toolbar.



L3: Entry 16 of 38

File: USPT

Mar 12, 2002

US-PAT-NO: 6355459

DOCUMENT-IDENTIFIER: US 6355459 B1

TITLE: Genes for the biosynthesis of epothilones

DATE-ISSUED: March 12, 2002

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Schupp; Thomas	Mohlin				CH
Ligon; James Madison	Apex	NC			
Molnar; Istvan	Durham	NC			
Zirkle; Ross	Raleigh	NC			
Cyr; Devon Dawn	Fuquay-Varina	NC			
Gorlach; Jorn	Durham	NC			

US-CL-CURRENT: 435/183; 435/189, 435/193, 435/232, 435/252.3, 435/252.35, 435/320.1, 536/23.2

#### CLAIMS:

- 1. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes at least one polypeptide required for the biosynthesis of epothilone, wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 54540-54758 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 2. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 1.
- 3. A recombinant vector comprising a chimeric gene according to claim 2.
- 4. A recombinant host cell comprising a chimeric gene according to claim 2.
- 5. The recombinant host cell of claim 4, which is a bacteria.
- 6. The recombinant host cell of claim 5, which is an Actinomycete.
- 7. The recombinant host cell of claim 6, which is Streptomyces.
- 8. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the

complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleoticles 43626-44885 of SEQ ID NO:1 and nucleotides 48087-49361 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.

- 9. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 8.
- 10. A recombinant vector comprising a chimeric gene according to claim 9.
- 11. A recombinant host cell comprising a chimeric gene according to claim 9.
- 12. The recombinant host cell of claim 11, which is a bacteria.
- 13. The recombinant host cell of claim 12, which is an Actinomycete.
- 14. The recombinant host cell of claim 13, which is Streptomyces.
- 15. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 45204-46166 of SEQ ID NO:1 and nucleotides 49680-50642 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 16. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 15.
- 17. A recombinant vector comprising a chimeric gene according to claim 16.
- 18. A recombinant host cell comprising a chimeric gene according to claim 16.
- 19. The recombinant host cell of claim 18, which is a bacteria.
- 20. The recombinant host cell of claim 19, which is an Actinomycete.
- 21. The recombinant host cell of claim 20, which is Streptomyces.
- 22. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 50670-51176 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 23. A chimeric gene comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 22.
- 24. A recombinant vector comprising a chimeric gene according to claim 23.
- 25. A recombinant host cell comprising a chimeric gene according to claim 23.
- 26. The recombinant host cell of claim 25, which is a bacteria.
- 27. The recombinant host cell of claim 26, which is an Actinomycete.
- 28. The recombinant host cell of claim 27, which is Streptomyces.
- 29. An isolated nucleic acid fragment according to claim 1, wherein said

polypeptide comprises a methyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 51534-52657 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.

- 30. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 29.
- 31. A recombinant vector comprising a chimeric gene according to claim 30.
- 32. A recombinant host cell comprising a chimeric gene according to claim 30.
- 33. The recombinant host cell of claim 32, which is a bacteria.
- 34. The recombinant host cell of claim 33, which is an Actinomycete.
- 35. The recombinant host cell of claim 34, which is Streptomyces.
- 36. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 46950-47702 of SEQ ID NO:1 and nucleotides 53697-54431 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 37. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 36.
- 38. A recombinant vector comprising a chimeric gene according to claim 37.
- 39. A recombinant host cell comprising a chimeric gene according to claim 37.
- 40. The recombinant host cell of claim 39, which is a bacteria.
- 41. The recombinant host cell of claim 40, which is an Actinomycete.
- 42. The recombinant host cell of claim 41, which is Streptomyces.
- 43. An isolated nucleic acid fragment according to claim 1, wherein said polypeptide comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 47811-48032 of SEQ ID NO:1 and nucleotides 54540-54758 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 44. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 43.
- 45. A recombinant vector comprising a chimeric gene according to claim 44.
- 46. A recombinant host cell comprising a chimeric gene according to claim 44.
- 47. The recombinant host cell of claim 46, which is a bacteria.
- 48. The recombinant host cell of claim 47, which is an Actinomycete.
- 49. The recombinant host cell of claim 48, which is Streptomyces.

- 50. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:6, amino acids 35-454 of SEQ ID NO:6, amino acids 561-881 of SEQ ID NO:6, amino acids 1143-1393 of SEQ ID NO:6, amino acids 1430-1503 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, amino acids 2383-2551 of SEQ ID NO:6, amino acids 2671-3045 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 3673-3745 of SEQ ID NO:6.
- 51. An isolated nucleic acid fragment according to claim 50, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 54540-54758 of SEQ ID NO:1.
- 52. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising an amino acid sequence selected from the group consisting of: amino acids 35-454 of SEQ ID NO:6 and amino acids 1522-1946 of SEQ ID NO:6.
- 53. An isolated nucleic acid fragment according to claim 52, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 43626-44885 of SEQ ID NO:1 and nucleotides 48087-49361 of SEQ ID NO:1.
- 54. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises an acyltransferase domain comprising an amino acid sequence selected from the group consisting of: amino acids 561-881 of SEQ ID NO:6 and amino acids 2053-2373 of SEQ ID NO:6.
- 55. An isolated nucleic acid fragment according to claim 54, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 45204-46166 of SEQ ID NO:1 and nucleotides 49680-50642 of SEQ ID NO:1.
- 56. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a dehydratase domain comprising amino acids 2383-2551 of SEQ ID NO:6.
- 57. An isolated nucleic acid fragment according to claim 56, wherein said nucleotide sequence is nucleotides 50670-51176 of SEQ ID NO:1.
- 58. An isolated nucleic acid fragment according to claim 56, wherein said polypeptide comprises a methyltransferase domain comprising amino acids 2671-3045 of SEQ ID NO:6.
- 59. An isolated nucleic acid fragment according to claim 58, wherein said nucleotide sequence is nucleotides 51534-52657 of SEQ ID NO:1.
- 60. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising an amino acid sequence selected from the group consisting of: amino acids 1143-1393 of SEQ ID NO:6 and amino acids 3392-3636 of SEQ ID NO:6.
- 61. An isolated nucleic acid fragment according to claim 60, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 46950-47702 of SEQ ID NO:1 and nucleotides 53697-54431 of SEQ ID NO:1.
- 62. An isolated nucleic acid fragment according to claim 50, wherein said polypeptide comprises an acyl carrier protein domain comprising an amino acid sequence selected from the group consisting of: amino acids 1430-1503 of SEQ ID NO:6 and amino acids 3673-3745 of SEQ ID NO:6.

- 63. An isolated nucleic acid fragment according to claim 62, wherein said nucleotide sequence is selected from the group consisting of: nucleotides 47811-48032 of SEQ ID NO:1 and nucleotides 54540-54758 of SEQ ID NO:1.
- 64. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 50.
- 65. A recombinant vector comprising a chimeric gene according to claim 64.
- 66. A recombinant host cell comprising a chimeric gene according to claim 64.
- 67. The recombinant host cell of claim 66, which is a bacteria.
- 68. The recombinant host cell of claim 67, which is an Actinomycete.
- 69. The recombinant host cell of claim 68, which is Streptomyces.
- 70. An isolated polypeptide required for the biosynthesis of <a href="mailto:epothilone">epothilone</a>, wherein said polypeptide comprises an amino acid sequence encoded by a nucleotide sequence whose complement hybridizes to a sequence selected from the group consisting of: nucleotides 43524-54920 of SEQ ID NO:1, nucleotides 43626-44885 of SEQ ID NO:1, nucleotides 45204-46166 of SEQ ID NO:1, nucleotides 46950-47702 of SEQ ID NO:1, nucleotides 47811-48032 of SEQ ID NO:1, nucleotides 48087-49361 of SEQ ID NO:1, nucleotides 49680-50642 of SEQ ID NO:1, nucleotides 50670-51176 of SEQ ID NO:1, nucleotides 51534-52657 of SEQ ID NO:1, nucleotides 53697-54431 of SEQ ID NO:1, and nucleotides 54540-54758 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 71. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 70.
- 72. The recombinant host cell of claim 71, which is a bacteria.
- 73. The recombinant host cell of claim 72, which is an Actinomycete.
- 74. The recombinant host cell of claim 73, which is Streptomyces.
- 75. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 43626-44885 of SEQ ID NO:1 and nucleotides 48087-49361 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 76. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 75.
- 77. The recombinant host cell of claim 76, which is a bacteria.
- 78. The recombinant host cell of claim 77, which is an Actinomycete.
- 79. The recombinant host cell of claim 78, which is Streptomyces.
- 80. An isolated polypeptide according to claim 70, wherein said polypeptide comprises an acyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 45204-46166 of SEQ ID NO:1 and nucleotides 49680-50642 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and

washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.

- 81. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 80.
- 82. The recombinant host cell of claim 81, which is a bacteria.
- 83. The recombinant host cell of claim 82, which is an Actinomycete.
- 84. The recombinant host cell of claim 83, which is Streptomyces.
- 85. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a dehydratase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 50670-51176 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 86. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 85.
- 87. The recombinant host cell of claim 86, which is a bacteria.
- 88. The recombinant host cell of claim 87, which is an Actinomycete.
- 89. The recombinant host cell of claim 88, which is Streptomyces.
- 90. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a methyltransferase domain and wherein the complement of said nucleotide sequence hybridizes to nucleotides 51534-52657 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 91. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 90.
- 92. The recombinant host cell of claim 91, which is a bacteria.
- 93. The recombinant host cell of claim 92, which is an Actinomycete.
- 94. The recombinant host cell of claim 93, which is Streptomyces.
- 95. An isolated polypeptide according to claim 70, wherein said polypeptide comprises a .beta.-ketoreductase domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 46950-47702 of SEQ ID NO:1 and nucleotides 53697-54431 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 96. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 95.
- 97. The recombinant host cell of claim 96, which is a bacteria.
- 98. The recombinant host cell of claim 97, which is an Actinomycete.
- 99. The recombinant host cell of claim 98, which is Streptomyces.
- 100. An isolated polypeptide according to claim 70, wherein said polypeptide

comprises an acyl carrier protein domain and wherein the complement of said nucleotide sequence hybridizes to a sequence selected from the group consisting of: nucleotides 47811-48032 of SEQ ID NO:1 and nucleotides 54540-54758 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.

- 101. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 100.
- 102. The recombinant host cell of claim 101, which is a bacteria.
- 103. The recombinant host cell of claim 102, which is an Actinomycete.
- 104. The recombinant host cell of claim 103, which is Streptomyces.
- 105. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of: SEQ ID NO:6, amino acids 35-454 of SEQ ID NO:6, amino acids 561-881 of SEQ ID NO:6, amino acids 1143-1393 of SEQ ID NO:6, amino acids 1430-1503 of SEQ ID NO:6, amino acids 1522-1946 of SEQ ID NO:6, amino acids 2053-2373 of SEQ ID NO:6, amino acids 2383-2551 of SEQ ID NO:6, amino acids 2671-3045 of SEQ ID NO:6, amino acids 3392-3636 of SEQ ID NO:6, and amino acids 3673-3745 of SEQ ID NO:6.
- 106. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a .beta.-ketoacyl-synthase domain comprising an amino acid sequence selected from the group consisting of: amino acids 35-454 of SEQ ID NO:6 and amino acids 1522-1946 of SEQ ID NO: 6.
- 107. An isolated polypeptide according to claim 105, wherein said polypeptide comprises an acyltransferase domain comprising an amino acid sequence selected from the group consisting of: amino acids 561-881 of SEQ ID NO:6 and amino acids 2053-2373 of SEQ ID NO:6.
- 108. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a dehydratase domain comprising amino acids 2383-2551 of SEQ ID NO:6.
- 109. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a methyltransferase domain comprising amino acids 2671-3045 of SEQ ID NO:6.
- 110. An isolated polypeptide according to claim 105, wherein said polypeptide comprises a .beta.-ketoreductase domain comprising an amino acid sequence selected from the group consisting of: amino acids 1143-1393 of SEQ ID NO:6 and amino acids 3392-3636 of SEQ ID NO:6.
- 111. An isolated polypeptide according to claim 105, wherein said polypeptide comprises an acyl carrier protein domain comprising an amino acid sequence selected from the group consisting of: amino acids 1430-1503 of SEQ ID NO:6 and amino acids 3673-3745 of SEQ ID NO:6.
- 112. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 105.
- 113. The recombinant host cell of claim 112, which is a bacteria.
- 114. The recombinant host cell of claim 113, which is an Actinomycete.
- 115. The recombinant host cell of claim 114, which is Streptomyces.



Day: Thursday Date: 10/9/2003 Time: 08:50:05

## **Application Number Information**



Charge to

Application Number: 09/568472 Order This

File Assignments

Filing Date: 05/10/2000

Effective Date: 05/10/2000

Application Received: 05/11/2000

Patent Number: 6358719

1 atcht 1 amoci. <u>0030712</u>

Issue Date: 03/19/2002

Date of Abandonment: 00/00/0000

Attorney Docket Number: 4-30582G

Status: 150 /PATENTED CASE

**PALM** 

Confirmation Number: 8136

Examiner Number: 73397 / NASHED, NASHAAT

Group Art Unit: 1652

Group Art Unit. 1052

Class/Subclass: 435/189.000

Lost Case: NO

Interference Number:

Unmatched Petition: NO

L&R Code: Secrecy Code:1

Third Level Review: NO

Secrecy Order: NO


Status Date: 03/01/2002

Oral Hearing: NO

Title of Invention: GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

Bar Code	Location	Location Date	Charge to Loc	Name	Employee Name	Location
09568472	<u>9200</u>	04/03/2002	No Charge to Location	No Charge to Name	BAIG,ARIF	
Appln Cor Info	ntents Petil	tion Info Att	y/Agent Info	Continuity Data	Foreign Data	Invent
Search	*******	Application# §		or Patent#	¢	rch
	PCT.	//	Search 0	r PG PUBS #	<i>‡</i>	Search
	Attor	ney Docket #			Search	
	Bar (	Code #		Search		

To go back use Back button on your browser toolbar.



L3: Entry 15 of 38 File: USPT Mar 19, 2002

US-PAT-NO: 6358719

DOCUMENT-IDENTIFIER: US 6358719 B1

TITLE: Genes for the biosynthesis of epothilones

DATE-ISSUED: March 19, 2002

#### INVENTOR - INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Schupp; Thomas	Mohlin				CH
Ligon; James Madison	Apex	NC			
Molnar; Istvan	Durham	NC			
Zirkle; Ross	Raleigh	NC			
Cyr; Devon Dawn	Fuquay-Varina	NC			
Gorlach; Jorn	Durham	NC			

US-CL-CURRENT: 435/189; 435/252.3, 435/252.35, 435/320.1, 536/23.1, 536/23.2, 536/23.7 CLAIMS:

- 1. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a macrolactone oxidase required for the biosynthesis of an <u>epothilone</u>, wherein the complement of said nucleotide sequence hybridizes to nucleotides 62369-63628 of SEQ ID NO:1 under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 2. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 1.
- 3. A recombinant vector comprising a chimeric gene according to claim 2.
- 4. A recombinant host cell comprising a chimeric gene according to claim 2.
- 5. The recombinant host cell of claim 4, which is a bacteria.
- 6. The recombinant host cell of claim 5, which is an Actinomycete.
- 7. The recombinant host cell of claim 6, which is Streptomyces.
- 8. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a macrolactone oxidase of SEQ ID NO:8 that is required for the synthesis of an  $\underline{\text{epothilone}}$ .
- 9. A nucleic acid fragment according to claim 8, wherein said nucleotide sequence is nucleotides 62369-63628 of SEQ ID NO: 1.
- 10. A chimeric gene comprising a heterologous promoter sequence operatively

- linked to a nucleic acid fragment according to claim 8.
- 11. A recombinant vector comprising a chimeric gene according to claim 10.
- 12. A recombinant host cell comprising a chimeric gene according to claim 10.
- 13. The recombinant host cell of claim 12, which is a bacteria.
- 14. The recombinant host cell of claim 13, which is an Actinomycete.
- 15. The recombinant host cell of claim 14, which is Streptomyces.
- 16. An isolated polypeptide that is a macrolactone oxidase required for the biosynthesis of <u>epothilone</u>, wherein said polypeptide comprises an amino acid sequence encoded by a nucleotide sequence whose complement hybridizes to nucleotides 62369-63628 of SEQ ID NO:1 under conditions of hybridization 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 17. A recombinant host cell comprising a recombinently expressed polypeptide according to claim 16.
- 18. The recombinant host cell of claim 17, which is a bacteria.
- 19. The recombinant host cell of claim 18, which is an Actinomycete.
- 20. The recombinant host cell of claim 19, which is Streptomyces.
- 21. An isolated polypeptide comprising SEQ ID NO:8.
- 22. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 21.
- 23. The recombinant host cell of claim 22, which is a bacteria.
- 24. The recombinant host cell of claim 23, which is an Actinomycete.
- 25. The recombinant host cell of claim 24, which is Streptomyces.



Day: Thursday Date: 10/9/2003 Time: 08:49:27

### **Application Number Information**

Application Number: 09/567899

**Assignments** 

Bar Code

Filing Date: 05/10/2000

Effective Date: 05/10/2000

Application Received: 05/11/2000

Patent Number: 6383787

Issue Date: 05/07/2002

Date of Abandonment: 00/00/0000

Attorney Docket Number: 4-30582C

Status: 150 /PATENTED CASE

Confirmation Number: 7470

Examiner Number: 73397 / NASHED, NASHAAT

Employee Name

Group Art Unit: 1652

Class/Subclass: 435/183.000

Lost Case: NO

Interference Number:

Unmatched Petition: NO

L&R Code: Secrecy Code:1

Third Level Review: NO

Secrecy Order: NO

Status Date: 04/19/2002

Location

Oral Hearing: NO

Charge to

Title of Invention: GENES FOR THE BIOSYNTHESIS OF EPOTHILONES

Charge

Bar Code	Location	Date	to Loc	Name	Employee Name	Location	
<u>09567899</u>	<u>16I1</u>	04/24/2003	16X1	NASHED, NASHAAT	1600,INCOMING MAIL	CM1/07/C 14	
Appln Col	ntents P	etition Info	Atty/Agen	it Info Conti	nuity Data Foreigr	Data Invent	
Search	Another:	Search	n#	0	r Patent#	Search	
	PC'	Γ//_	Se	arch or PG	G PUBS #	Search	
	Atto	orney Docke	et #		Search		

Search

To go back use Back button on your browser toolbar.

Bar Code #

# Generate Collection Print

L3: Entry 14 of 38 File: USPT May 7, 2002

US-PAT-NO: 6383787

DOCUMENT-IDENTIFIER: US 6383787 B1

\*\* See image for Certificate of Correction \*\*

TITLE: Genes for the biosynthesis of epothilones

DATE-ISSUED: May 7, 2002

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Schupp; Thomas	Mohlin				CH
Ligon; James Madison	Apex	NC			
Molnar; Istvan	Durham	NC			
Zirkle; Ross	Raleigh	NC			
Cyr; Devon Dawn	Fuquay-Varina	NC			
Gorlach; Jorn	Durham	NC			

US-CL-CURRENT: 435/183; 435/193, 435/252.3, 435/252.35, 435/320.1, 536/23.1, 536/23.2, 536/23.7

#### CLAIMS:

- 1. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a non-ribosomal peptide synthetase required for the biosynthesis of epothilone, wherein the complement of said nucleotide sequence hybridizes to nucleotides 11872-16104 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 2. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 1.
- 3. A recombinant vector comprising a chimeric gene according to claim 2.
- 4. A recombinant host cell comprising a chimeric gene according to claim 2.
- 5. The recombinant host cell of claim 4, which is a bacteria.
- 6. The recombinant host cell of claim 5, which is an Actinomycete.
- 7. The recombinant host cell of claim 6, which is Streptomyces.
- 8. An isolated nucleic acid fragment comprising a nucleotide sequence that encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:3.
- 9. An isolated nucleic acid fragment according to claim 8, wherein said nucleotide sequence is nucleotides 11872-16104 of SEQ ID NO:1.

- 10. An isolated non-ribosomal peptide synthetase required for the biosynthesis of epothilone, which comprises an amino acid sequence encoded by a nucleotide sequence whose complement hybridizes to nucleotides 11872-16104 of SEQ ID NO:1, under conditions of hybridization at 65.degree. C. for 36 hours and washing 3 times at high stringency with 0.1.times.SSC and 0.5% SDS for 20 minutes at 65.degree. C.
- 11. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 10.
- 12. The recombinant host cell of claim 11, which is a bacteria.
- 13. The recombinant host cell of claim 12, which is an Actinomycete.
- 14. The recombinant host cell of claim 13, which is Streptomyces.
- 15. An isolated a non-ribosomal peptide synthetase compising the amino acid sequence of SEQ ID NO:3.
- 16. A recombinant host cell comprising a recombinantly expressed polypeptide according to claim 15.
- 17. The recombinant host cell of claim 16, which is a bacteria.
- 18. The recombinant host cell of claim 17, which is an Actinomycete.
- 19. The recombinant host cell of claim 18, which is Streptomyces.
- 20. A chimeric <u>gene</u> comprising a heterologous promoter sequence operatively linked to a nucleic acid fragment according to claim 8.
- 21. A recombinant vector comprising a chimeric gene according to claim 10.
- 22. A recombinant host cell comprising a chimeric gene according to claim 20.
- 23. The recombinant host cell of claim 22, which is a bacteria.
- 24. The recombinant host cell of claim 23, which is an Actinomycete.
- 25. The recombinant host cell of claim 24, which is Streptomyces.